# a new pattern for projection





### Make your audio-visual presentation

more effective with
the Ozalid
Projecto-Lite
Overhead Projector.


Every advancement you demand in an overhead projector has been designed into the user-engineered Projecto-Lite. A straight-through optical light path means brighter screen illumination. Images are needle-sharp, finely detailed. The 360° horizontal rotating head projects a picture in any direction. The compactly-built Projecto-Lite is easily transported, gives more projector in less space, has a beauty of design that's distinctive. Precision construction meets the highest standards of business, government, schools, and other institutions.



### STRAIGHT-THROUGH OPTICAL SYSTEM

Superior Image Brilliance. Straight-through optical system places more even light on the screen, gives a brighter picture from a lower wattage lamp. Each Projecto-Lite is individually optically aligned before it passes Ozalid quality control inspection. Five optical components (reflector, lamp filament, condenser lens, Fresnel lens, objective lens) are in perfect alignment. Images are more brilliant, even for large auditorium-size groups.

Maximum Picture Detail. Finest quality optical lens projects crisp, sharp images. Details are clearly defined; you can use your Projecto-Lite in normal room lighting. Pictures have a sparkling quality, motivate audiences. Solidly constructed cabinet and head assembly eliminate image vibration.









## **Versatile Multi-Directional Projection** Project your image to any wall from a fixed position. Rotating head moves through a complete circle, allows unlimited flexibility in projector placement, removes head and post assembly from speaker's line of vision, permits both left- and right-handed operation.

### Instant Set-Up

Assemble or take down your Projecto-Lite in seconds. Attach or detach the balanced lightweight aluminum head and post assembly with a quick twist of a single easygrip fastening knob.

### Convenient Portability

Transport your compact Projecto-Lite anywhere almost without effort. No tugging, no manhandling. The Projecto-Lite is easily carried, easily managed. No sharp edges, no pointed corners to snag your clothing, scrape your hands and arms.




Image tilting control knob helps position screen picture quickly and accurately.

Knurled thumbscrew locks head firmly at any position.

Counter-balanced head, a **Projecto-Lite exclusive**, doesn't creep; picture stays in focus.

Get rapid split-hair focusing with the grip-size, feather-light focusing knob.

Fan and light switches, conveniently located on top, are color coded: tan for fan, white for light.



### Minimum Maintenance

Use your Projecto-Lite indefinitely without major maintenance or service worries. Change lamp in seconds through convenient front opening. Snap-out platen frame gives easy access to condenser lens, Fresnel lens, and glass platen for quick cleaning.



All four legs are adjustable, allow for uneven table surfaces, permit fast, direct aiming of screen image.

### Cool and Quiet

Casing and platen temperatures are held to a comfortable level by a carefully-engineered air flow pattern. Custom-designed fan assures whisper-quiet operation.







Rugged welded steel cabinet takes knocks and hard treatment. Sturdy double-duty twin shelves (standard equipment) easily convert to acetate roll holders by flipping them over and sliding them into position. Extra-long safety-grounded three-connector power supply cord is permanently attached and loss-proof. Ozalid has designed and manufactured the Projecto-Lite for a lifetime of service.

### SPECIFICATIONS:

Ozalid Projecto-Lite 10-10 Overhead Projector. Catalog No. 252-100.

### Dimensions and Weights

Height: head raised 47", head lowered 39½"
Width: without shelves 15", with shelves 34"
Depth: 23"
Net weight with shelves: 49 pounds
Shipping weight with shelves: 63 pounds

### General

Accommodates transparencies up to 10" x 10" on a 10%" x 10%" projection stage.

Lens: 14" focal length, f/3.5

Blower capacity: 100 C.F.M.

### Electrical

Wired for 115 volts A.C., 50/60 cycles, single phase. Operating amperage: 8 amperes at 115 volts. Lamp: 750 watts

See your Ozalid Audio-Visual Dealer for a Demonstration of the PROJECTO-LITE, or write Ozalid, Johnson City, New York





OZALID DIVISION, GENERAL ANILINE AND FILM CORPORATION, JOHNSON CITY, NEW YORK